GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

PS – PRED – RWS – Irregularities in "Construction of Drainage Outlet at Undi Village of Undi Mandal" – Disciplinary action initiated against Sri G.Anand Babu, Deputy Executive Engineer, RWS&S and Smt.D.V.Ramanamma, the then Deputy Executive Engineer, RWS&S, Undi, West Godavari District – Common enquiry – Orders – Issued.

-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-

PANCHAYAT RAJ AND RURAL DEVELOPMENT (VIG.VI) DEPARTMENT

G.O.RT.No. 831 Dated: 17-09-2016

>><<

O R D E R:

Whereas, the Government Servants named below are jointly involved in a disciplinary case regarding Irregularities in "Construction of Drainage Outlet at Undi Village of Undi Mandal"West Godavari District.

1. Sri G.Anand Babu, Deputy Executive Engineer, RWS&S .

2. Smt.D.V.Ramanamma, the then Deputy Executive Engineer, RWS&S,

Undi, West Godavari District

2. Now, therefore, in exercise of the powers conferred by sub-rules (1) and (2) of Rule 24 of the Andhra Pradesh Civil Services (CC&A) Rules, 1991, the disciplinary authority, i.e. Government, hereby directs:

(i) that disciplinary action against all the said Government Servants shall be taken in the Common Proceedings.
(ii) that Government shall function as the disciplinary authority for the purpose of the common proceedings and shall be competent to impose any penalty.
(iii) that the procedure prescribed in Rules 20 & 21 of the Andhra Pradesh Civil Services (CC&A) Rules, 1991 shall be followed in the said Proceedings.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

DR.K.S.JAWAHAR REDDY
PRINCIPAL SECRETARY TO GOVERNMENT

To
The individuals concerned through the Engineer-in-Chief, Rural Water Supply& Sanitation, Hyderabad.
The Engineer-in-Chief, Rural Water Supply & Sanitation, Hyderabad.
The Engineer-in-Chief, Panchayat Raj, Hyderabad.
SF/SC

//FORWARDED::BYORDER//

SECTION OFFICER